


Hidden Markov Models

Algorithms for decoding



Christian Nørgaard Storm Pedersen

cstorm@birc.au.dk

HMM joint probability distribution

$$p(\mathbf{X}, \mathbf{Z} | \Theta) = p(\mathbf{z}_1 | \pi) \left[\prod_{n=2}^N p(\mathbf{z}_n | \mathbf{z}_{n-1}, \mathbf{A}) \right] \prod_{n=1}^N p(\mathbf{x}_n | \mathbf{z}_n, \phi)$$

Sequence of N observables from a set of D symbols:


Sequence of N hidden states from a set of K states:

Model parameters:

$$\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$$

$$\mathbf{Z} = \{\mathbf{z}_1, \dots, \mathbf{z}_N\}$$

$$\Theta = \{\pi, \mathbf{A}, \phi\}$$




If \mathbf{A} and ϕ are the same for all n then the HMM is *homogeneous*

HMM joint probability distribution


$$p(\mathbf{X}, \mathbf{Z} | \Theta) = p(\mathbf{z}_1 | \pi) \left[\prod_{n=2}^N p(\mathbf{z}_n | \mathbf{z}_{n-1}, \mathbf{A}) \right] \prod_{n=1}^N p(\mathbf{x}_n | \mathbf{z}_n, \phi)$$

Sequence of N
observables


Sequence of N



$$A_{jk} = p(z_{n,k} = 1 | z_{n-1,j} = 1) = "p(j \rightarrow k)."'$$



$$\pi_k = p(z_{1,k} = 1).$$



$$\phi_{kd} = p(x_{n,d} = 1 | z_{n,k} = 1) = "p(d(k))"$$

If \mathbf{A} and ϕ are the same for all n then the HMM is *homogeneous*

Decoding using HMMs

Given a HMM Θ and a sequence of observations $\mathbf{X} = \mathbf{x}_1, \dots, \mathbf{x}_N$, find a plausible explanation, i.e. a sequence $\mathbf{Z}^* = \mathbf{z}_1^*, \dots, \mathbf{z}_N^*$ of values of the hidden variable.

Viterbi decoding

\mathbf{Z}^* is the overall most likely explanation of \mathbf{X} :

$$\mathbf{Z}^* = \arg \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z} | \Theta)$$

Posterior decoding

\mathbf{z}_n^* is the most likely state to be in the n 'th step:

$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N)$$

Viterbi decoding

Given \mathbf{X} , find \mathbf{Z}^* such that: $\mathbf{Z}^* = \arg \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z} | \Theta)$

$$\begin{aligned}
 p(\mathbf{X}, \mathbf{Z}^*) &= \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z}) = \max_{\mathbf{z}_1, \dots, \mathbf{z}_N} p(\mathbf{x}_1, \dots, \mathbf{x}_N, \mathbf{z}_1, \dots, \mathbf{z}_N) \\
 &= \max_{\mathbf{z}_N} \max_{\mathbf{z}_1, \dots, \mathbf{z}_{N-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_N, \mathbf{z}_1, \dots, \mathbf{z}_N) \\
 &= \max_{\mathbf{z}_N} \omega(\mathbf{z}_N)
 \end{aligned}$$

$$\mathbf{z}_N^* = \arg \max_{\mathbf{z}_N} \omega(\mathbf{z}_N)$$

Where $\omega(\mathbf{z}_n) \equiv \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n)$ is the probability of the most likely sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_n$ ending in \mathbf{z}_n generating the observations $\mathbf{x}_1, \dots, \mathbf{x}_n$

Viterbi decoding

Given \mathbf{X} , find \mathbf{Z}^* such that: $\mathbf{Z}^* = \arg \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z} | \Theta)$


$$p(\mathbf{X}, \mathbf{Z}^*) = \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z}) = \max_{\mathbf{z}_1, \dots, \mathbf{z}_N}$$

$\omega[k][n] = \omega(\mathbf{z}_n)$ if \mathbf{z}_n is state k

$$= \max_{\mathbf{z}_N} \max_{\mathbf{z}_1, \dots, \mathbf{z}_{N-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_N)$$

$$= \max_{\mathbf{z}_N} \omega(\mathbf{z}_N)$$

$$\mathbf{z}_N^* = \arg \max_{\mathbf{z}_N} \omega(\mathbf{z}_N)$$



Where $\omega(\mathbf{z}_n) \equiv \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_{n-1})$ is the probability of the most likely sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_n$ ending in \mathbf{z}_n generating the observations $\mathbf{x}_1, \dots, \mathbf{x}_n$

The ω -recursion

$$\begin{aligned}
 \omega(\mathbf{z}_n) &= \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n) \\
 &= \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^n p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \omega(\mathbf{z}_{n-1})
 \end{aligned}$$

The ω -recursion

$$\begin{aligned}
 \omega(\mathbf{z}_n) &= \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n) \\
 &= \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^n p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \omega(\mathbf{z}_{n-1})
 \end{aligned}$$

The ω -recursion

$\omega(\mathbf{z}_n)$ is the probability of the most likely sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_n$ ending in \mathbf{z}_n generating the observations $\mathbf{x}_1, \dots, \mathbf{x}_n$

$$\omega(\mathbf{z}_n) \equiv \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n)$$


Recursion:

$$\omega[k][n] = \omega(\mathbf{z}_n) \text{ if } \mathbf{z}_n \text{ is state } k$$

$$\omega(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \omega(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\omega(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$



The ω -recursion

// Pseudo code for computing $\omega[k][n]$ for some $n > 1$

$\omega[k][n] = 0$

for $j = 1$ to K :

$\omega[k][n] = \max(\omega[k][n], p(x[n] | k) * \omega[j][n-1] * p(k | j))$

$$\omega(\mathbf{z}_n) \equiv \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_{n-1})$$

Recursion:


$$\omega(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \omega(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\omega(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

of states $\mathbf{z}_1, \dots, \mathbf{z}_n$

$\omega[k][n] = \omega(\mathbf{z}_n)$ if \mathbf{z}_n is state k



The ω -recursion

// Pseudo code for computing $\omega[k][n]$ for some $n > 1$

$\omega[k][n] = 0$

for $j = 1$ to K :

$\omega[k][n] = \max(\omega[k][n], p(x[n] | k) * \omega[j][n-1] * p(k | j))$

$$\omega(\mathbf{z}_n) \equiv \max_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_{n-1})$$

Recursion:


$\omega[k][n] = \omega(\mathbf{z}_n)$ if \mathbf{z}_n is state k

$$\omega(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \omega(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\omega(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

Computing ω takes **time $O(K^2N)$** and
space $O(KN)$ using memorization



of states $\mathbf{z}_1, \dots, \mathbf{z}_n$

Viterbi decoding – Retrieving \mathbf{Z}^*


$\omega(\mathbf{z}_n)$ is the probability of the most likely sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_n$ ending in \mathbf{z}_n generating the observations $\mathbf{x}_1, \dots, \mathbf{x}_n$. We find \mathbf{Z}^* by backtracking:

$$\mathbf{z}_N^* = \arg \max_{\mathbf{z}_N} \omega(\mathbf{z}_N) = \arg \max_{\mathbf{z}_N} \max_{\mathbf{z}_{N-1}} (p(\mathbf{x}_N | \mathbf{z}_N) \omega(\mathbf{z}_{N-1}) p(\mathbf{z}_N | \mathbf{z}_{N-1}))$$

$$\mathbf{z}_{N-1}^* = \arg \max_{\mathbf{z}_{N-1}} (p(\mathbf{x}_N | \mathbf{z}_N^*) \omega(\mathbf{z}_{N-1}) p(\mathbf{z}_N^* | \mathbf{z}_{N-1}))$$

⋮

$\omega[k][n] = \omega(\mathbf{z}_n)$ if \mathbf{z}_n is state k



Finding \mathbf{Z}^*

```
// Pseudocode for backtracking
```

```
z[1..N] = undef
```

```
z[N] = arg maxk ω[k][N]
```

```
for n = N-1 to 1:
```

```
    z[n] = arg maxk ( p(x[n+1] | z[n+1]) * ω[k][n] * p(z[n+1] | k) )
```

```
print z[1..N]
```

of states $\mathbf{z}_1, \dots, \mathbf{z}_n$


We find \mathbf{Z}^* by

$$\mathbf{z}_N^* = \arg \max_{\mathbf{z}_N} \omega(\mathbf{z}_N) = \arg \max_{\mathbf{z}_N} \max_{\mathbf{z}_{N-1}} (p(\mathbf{x}_N | \mathbf{z}_N) \omega(\mathbf{z}_{N-1}) p(\mathbf{z}_N | \mathbf{z}_{N-1}))$$

$$\mathbf{z}_{N-1}^* = \arg \max_{\mathbf{z}_{N-1}} (p(\mathbf{x}_N | \mathbf{z}_N^*) \omega(\mathbf{z}_{N-1}) p(\mathbf{z}_N^* | \mathbf{z}_{N-1}))$$

⋮

$\omega[k][n] = \omega(\mathbf{z}_n)$ if \mathbf{z}_n is state k



Finding Z^*

// Pseudocode for backtracking

$z[1..N] = \text{undef}$

$z[N] = \arg \max_k \omega[k][N]$

for $n = N-1$ to 1 :

$z[n] = \arg \max_k (p(x[n+1] | z[n+1]) * \omega[k][n] * p(z[n+1] | k))$

print $z[1..N]$

of states z_1, \dots, z_n
We find Z^* by


$$z_N^* = \arg \max_{z_N} \omega(z_N) = \arg \max_{z_N} \max_{z_{N-1}} (p(\mathbf{x}_N | z_N) \omega(z_{N-1}) p(z_N | z_{N-1}))$$

$$z_{N-1}^* = \arg \max_{z_{N-1}} (p(\mathbf{x}_N | z_N^*) \omega(z_{N-1}) p(z_N^* | z_{N-1}))$$

\vdots

Backtracking takes **time $O(KN)$** and **space $O(KN)$** using ω

$\omega[k][n] = \omega(z_n)$ if z_n is state k



Decoding using HMMs

Given a HMM Θ and a sequence of observations $\mathbf{X} = \mathbf{x}_1, \dots, \mathbf{x}_N$, find a plausible explanation, i.e. a sequence $\mathbf{Z}^* = \mathbf{z}_1^*, \dots, \mathbf{z}_N^*$ of values of the hidden variable.

Viterbi decoding

\mathbf{Z}^* is the overall most likely explanation of \mathbf{X} :

$$\mathbf{Z}^* = \arg \max_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z} | \Theta)$$

Posterior decoding

\mathbf{z}_n^* is the most likely state to be in the n 'th step:

$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N)$$

Posterior decoding

Given \mathbf{X} , find \mathbf{Z}^* , where $\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N)$ is the most likely state to be in the n 'th step.

$$\begin{aligned}
 p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N) &= \frac{p(\mathbf{z}_n, \mathbf{x}_1, \dots, \mathbf{x}_N)}{p(\mathbf{x}_1, \dots, \mathbf{x}_N)} \\
 &= \frac{p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n) p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n, \mathbf{x}_1, \dots, \mathbf{x}_n)}{p(\mathbf{x}_1, \dots, \mathbf{x}_N)} \\
 &= \frac{p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n) p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)}{p(\mathbf{x}_1, \dots, \mathbf{x}_N)} \\
 &= \frac{\alpha(\mathbf{z}_n) \beta(\mathbf{z}_n)}{p(\mathbf{X})}
 \end{aligned}$$

$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N) = \arg \max_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n) / p(\mathbf{X})$$

Posterior decoding


$\alpha(\mathbf{z}_n)$ is the joint probability of observing $\mathbf{x}_1, \dots, \mathbf{x}_n$ and being in state \mathbf{z}_n

$$\alpha(\mathbf{z}_n) \equiv p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n)$$


$\beta(\mathbf{z}_n)$ is the conditional probability of future observation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$ assuming being in state \mathbf{z}_n

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

$\alpha[k][n] = \alpha(\mathbf{z}_n)$ if \mathbf{z}_n is state k



$\beta[k][n] = \beta(\mathbf{z}_n)$ if \mathbf{z}_n is state k



Posterior decoding

$\alpha(\mathbf{z}_n)$ is the joint probability of observing $\mathbf{x}_1, \dots, \mathbf{x}_n$ and being in state \mathbf{z}_n

$$\alpha(\mathbf{z}_n) \equiv p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n)$$

$\beta(\mathbf{z}_n)$ is the conditional probability of future observation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$ assuming being in state \mathbf{z}_n

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

Using $\alpha(\mathbf{z}_n)$ and $\beta(\mathbf{z}_n)$ we get the likelihood of the observations as:

$$p(\mathbf{X}) = \sum_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n)$$

$$p(\mathbf{X}) = \sum_{\mathbf{z}_N} \alpha(\mathbf{z}_N)$$


$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N) = \arg \max_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n) / p(\mathbf{X})$$

The forward algorithm

$\alpha(\mathbf{z}_n)$ is the joint probability of observing $\mathbf{x}_1, \dots, \mathbf{x}_n$ and being in state \mathbf{z}_n

$$\alpha(\mathbf{z}_n) \equiv p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n)$$

$$\alpha[k][n] = \alpha(\mathbf{z}_n) \text{ if } \mathbf{z}_n \text{ is state } k$$



The α -recursion

$$\begin{aligned}
 \alpha(\mathbf{z}_n) &= p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^n p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \alpha(\mathbf{z}_{n-1})
 \end{aligned}$$

The α -recursion

$$\begin{aligned}
 \alpha(\mathbf{z}_n) &= p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_1, \dots, \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^n p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) \prod_{i=2}^n p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-1}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) p(\mathbf{z}_n | \mathbf{z}_{n-1}) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \sum_{\mathbf{z}_1, \dots, \mathbf{z}_{n-2}} p(\mathbf{z}_1) \prod_{i=2}^{n-1} p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=1}^{n-1} p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} p(\mathbf{z}_n | \mathbf{z}_{n-1}) \alpha(\mathbf{z}_{n-1})
 \end{aligned}$$

The forward algorithm

$\alpha(\mathbf{z}_n)$ is the joint probability of observing $\mathbf{x}_1, \dots, \mathbf{x}_n$ and being in state \mathbf{z}_n



$$\alpha(\mathbf{z}_n) \equiv p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n)$$

Recursion:

$$\alpha(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \alpha(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\alpha(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$



$$\alpha[k][n] = \alpha(\mathbf{z}_n) \text{ if } \mathbf{z}_n \text{ is state } k$$

The forward algorithm


// Pseudo code for computing $\alpha[k][n]$ for some $n > 1$

$\alpha[k][n] = 0$

for $j = 1$ to K :

$$\alpha[k][n] = \alpha[k][n] + p(x[n] | k) * \alpha[j][n-1] * p(k | j)$$

being in state \mathbf{z}_n




Recursion:

$$\alpha(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \alpha(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\alpha(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$


$\alpha[k][n] = \alpha(\mathbf{z}_n)$ if \mathbf{z}_n is state k



The forward algorithm

```
// Pseudo code for computing  $\alpha[k][n]$  for some  $n > 1$ 
 $\alpha[k][n] = 0$ 
for  $j = 1$  to  $K$ :
   $\alpha[k][n] = \alpha[k][n] + p(x[n] | k) * \alpha[j][n-1] * p(k | j)$ 
```

being in state \mathbf{z}_n



Recursion:


$$\alpha(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \alpha(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:

$$\alpha(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

Computing α takes **time $O(K^2N)$** and **space $O(KN)$** using memorization

state k




The backward algorithm

$\beta(\mathbf{z}_n)$ is the conditional probability of future observation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$ assuming being in state \mathbf{z}_n

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

$$\beta[k][n] = \beta(\mathbf{z}_n) \text{ if } \mathbf{z}_n \text{ is state } k$$



The β -recursion

$$\begin{aligned}
\beta(\mathbf{z}_n) &= p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n) \\
&= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N, \mathbf{z}_{n+1}, \dots, \mathbf{z}_N | \mathbf{z}_n) \\
&= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N, \mathbf{z}_n, \mathbf{z}_{n+1}, \dots, \mathbf{z}_N) / p(\mathbf{z}_n) \\
&= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{z}_n) \prod_{i=n+1}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+1}^N p(\mathbf{x}_i | \mathbf{z}_i) / p(\mathbf{z}_n) \\
&= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} \prod_{i=n+1}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+1}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
&= \sum_{\mathbf{z}_{n+1}} \sum_{\mathbf{z}_{n+2}, \dots, \mathbf{z}_N} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \prod_{i=n+2}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+2}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
&= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \sum_{\mathbf{z}_{n+2}, \dots, \mathbf{z}_N} \prod_{i=n+2}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+2}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
&= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{x}_{n+2}, \dots, \mathbf{x}_N | \mathbf{z}_{n+1}) \\
&= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \beta(\mathbf{z}_{n+1})
\end{aligned}$$

The β -recursion

$$\begin{aligned}
 \beta(\mathbf{z}_n) &= p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N, \mathbf{z}_{n+1}, \dots, \mathbf{z}_N | \mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N, \mathbf{z}_n, \mathbf{z}_{n+1}, \dots, \mathbf{z}_N) / p(\mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} p(\mathbf{z}_n) \prod_{i=n+1}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+1}^N p(\mathbf{x}_i | \mathbf{z}_i) / p(\mathbf{z}_n) \\
 &= \sum_{\mathbf{z}_{n+1}, \dots, \mathbf{z}_N} \prod_{i=n+1}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+1}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= \sum_{\mathbf{z}_{n+1}} \sum_{\mathbf{z}_{n+2}, \dots, \mathbf{z}_N} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \prod_{i=n+2}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+2}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \sum_{\mathbf{z}_{n+2}, \dots, \mathbf{z}_N} \prod_{i=n+2}^N p(\mathbf{z}_i | \mathbf{z}_{i-1}) \prod_{i=n+2}^N p(\mathbf{x}_i | \mathbf{z}_i) \\
 &= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{x}_{n+2}, \dots, \mathbf{x}_N | \mathbf{z}_{n+1}) \\
 &= \sum_{\mathbf{z}_{n+1}} p(\mathbf{z}_{n+1} | \mathbf{z}_n) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) \beta(\mathbf{z}_{n+1})
 \end{aligned}$$

The backward algorithm

$\beta(\mathbf{z}_n)$ is the conditional probability of future observation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$ assuming being in state \mathbf{z}_n


$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

Recursion:

$$\beta(\mathbf{z}_n) = \sum_{\mathbf{z}_{n+1}} \beta(\mathbf{z}_{n+1}) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{z}_{n+1} | \mathbf{z}_n)$$

Basis:


$$\beta(\mathbf{z}_N) = 1$$



Basis:

$$\beta(\mathbf{z}_N) = 1$$

$$\beta[k][n] = \beta(\mathbf{z}_n) \text{ if } \mathbf{z}_n \text{ is state } k$$



The backward algorithm

// Pseudo code for computing $\beta[k][n]$ for some $n < N$

$\beta[k][n] = 0$

for $j = 1$ to K :

$$\beta[k][n] = \beta[k][n] + p(j | k) * p(x[n+1] | j) * \beta[j][n+1]$$

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

Recursion:



$$\beta(\mathbf{z}_n) = \sum_{\mathbf{z}_{n+1}} \beta(\mathbf{z}_{n+1}) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{z}_{n+1} | \mathbf{z}_n)$$

Basis:

$$\beta(\mathbf{z}_N) = 1$$

$\beta[k][n] = \beta(\mathbf{z}_n)$ if \mathbf{z}_n is state k

condition $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$



The backward algorithm

```
// Pseudo code for computing  $\beta[k][n]$  for some  $n < N$ 
 $\beta[k][n] = 0$ 
for  $j = 1$  to  $K$ :
   $\beta[k][n] = \beta[k][n] + p(j | k) * p(x[n+1] | j) * \beta[j][n+1]$ 
```

condition $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$



Recursion:

$$\beta(\mathbf{z}_n) = \sum_{\mathbf{z}_{n+1}} \beta(\mathbf{z}_{n+1}) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{z}_{n+1} | \mathbf{z}_n)$$

Basis:

$$\beta(\mathbf{z}_N) = 1$$

Computing β takes **time $O(K^2N)$** and **space $O(KN)$** using memorization



Posterior decoding

$\alpha(\mathbf{z}_n)$ is the joint probability of observing $\mathbf{x}_1, \dots, \mathbf{x}_n$ and being in state \mathbf{z}_n

$$\alpha(\mathbf{z}_n) \equiv p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{z}_n)$$

$\beta(\mathbf{z}_n)$ is the conditional probability of future observation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$ assuming being in state \mathbf{z}_n

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

Using $\alpha(\mathbf{z}_n)$ and $\beta(\mathbf{z}_n)$ we get the likelihood of the observations as:

$$p(\mathbf{X}) = \sum_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n)$$

$$p(\mathbf{X}) = \sum_{\mathbf{z}_N} \alpha(\mathbf{z}_N)$$

$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N) = \arg \max_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n) / p(\mathbf{X})$$

```
// Pseudocode for posterior decoding
Compute  $\alpha[1..K][1..M]$  and  $\beta[1..K][1..M]$ 
pX =  $\alpha[1][M] + \alpha[2][M] + \dots + \alpha[K][M]$ 
z[1..M] = undef
for n = 1 to N:
    z[n] = arg maxk (  $\alpha[k][n] * \beta[k][n] / pX$  )
print z[1..N]
```

assuming being in state \mathbf{z}_n

g

and being in state \mathbf{z}_n ation $\mathbf{x}_{n+1}, \dots, \mathbf{x}_N$

$$\beta(\mathbf{z}_n) \equiv p(\mathbf{x}_{n+1}, \dots, \mathbf{x}_N | \mathbf{z}_n)$$

Using $\alpha(\mathbf{z}_n)$ and $\beta(\mathbf{z}_n)$ we get the likelihood of the observations as:

$$p(\mathbf{X}) = \sum_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n)$$

$$p(\mathbf{X}) = \sum_{\mathbf{z}_N} \alpha(\mathbf{z}_N)$$

$$\mathbf{z}_n^* = \arg \max_{\mathbf{z}_n} p(\mathbf{z}_n | \mathbf{x}_1, \dots, \mathbf{x}_N) = \arg \max_{\mathbf{z}_n} \alpha(\mathbf{z}_n) \beta(\mathbf{z}_n) / p(\mathbf{X})$$

Viterbi vs. Posterior decoding

A sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_N$ where $p(\mathbf{x}_1, \dots, \mathbf{x}_N, \mathbf{z}_1, \dots, \mathbf{z}_N) > 0$ is a legal (or syntactically correct) decoding of \mathbf{X} .

Viterbi finds the most likely syntactically correct decoding of \mathbf{X} .

What does Posterior decoding find?

Does it always find a syntactically correct decoding of \mathbf{X} ?


Viterbi vs. Posterior decoding

A sequence of states $\mathbf{z}_1, \dots, \mathbf{z}_N$ where $p(\mathbf{x}_1, \dots, \mathbf{x}_N, \mathbf{z}_1, \dots, \mathbf{z}_N) > 0$ is a legal (or syntactically correct) decoding of \mathbf{X} .

Viterbi finds the most likely syntactically correct decoding of \mathbf{X} .

What does Posterior decoding find?

Does it always find a syntactically correct decoding of \mathbf{X} ?



Emits a sequence of A and Bs following either the path 12...2 or 13...3 with equal probability

I.e. Viterbi finds either 12...2 or 13...3, while Posterior finds that 2 and 3 are equally likely for $n > 1$.

Recall: Using HMMs

- Determine the likelihood of a sequence of observations.
- Find a plausible underlying explanation (or decoding) of a sequence of observations.

$$p(\mathbf{X}|\Theta) = \sum_{\mathbf{Z}} p(\mathbf{X}, \mathbf{Z}|\Theta) = \sum_{\mathbf{z}_N} \alpha(\mathbf{z}_N)$$

The sum has K^N terms, but it turns out that it can be computed in $O(K^2N)$ time by computing the α -table using the forward algorithm and summing the last column:

$$p(\mathbf{X}) = \alpha[1][N] + \alpha[2][N] + \dots + \alpha[K][N]$$

Summary

- **Viterbi-** and **Posterior decoding** for finding a plausible underlying explanation (sequence of hidden states) of a sequence of observations.
- **forward-backward algorithms** for computing the likelihood of being in a given state in the n 'th step, and for determining the likelihood of a sequence of observations.

Viterbi

Recursion:
$$\omega(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \max_{\mathbf{z}_{n-1}} \omega(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:
$$\omega(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

Forward

Recursion:
$$\alpha(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \alpha(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:
$$\alpha(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

Backward

Recursion:
$$\beta(\mathbf{z}_n) = \sum_{\mathbf{z}_{n+1}} \beta(\mathbf{z}_{n+1}) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{z}_{n+1} | \mathbf{z}_n)$$

Basis:
$$\beta(\mathbf{z}_N) = 1$$

Problem: The values in the ω -, α -, and β -tables can come very close to zero, by multiplying them we potentially exceed the precision of double precision floating points and get underflow

Next: How to implement the basic algorithms (forward, backward, and Viterbi) in a “numerically” sound manner.

Recursion:
$$\alpha(\mathbf{z}_n) = p(\mathbf{x}_n | \mathbf{z}_n) \sum_{\mathbf{z}_{n-1}} \alpha(\mathbf{z}_{n-1}) p(\mathbf{z}_n | \mathbf{z}_{n-1})$$

Basis:
$$\alpha(\mathbf{z}_1) = p(\mathbf{x}_1, \mathbf{z}_1) = p(\mathbf{z}_1) p(\mathbf{x}_1 | \mathbf{z}_1)$$

Backward

Recursion:
$$\beta(\mathbf{z}_n) = \sum_{\mathbf{z}_{n+1}} \beta(\mathbf{z}_{n+1}) p(\mathbf{x}_{n+1} | \mathbf{z}_{n+1}) p(\mathbf{z}_{n+1} | \mathbf{z}_n)$$

Basis:
$$\beta(\mathbf{z}_N) = 1$$